Acta Physiol Scand 1992, **144**, 491–495

Author index

AHLMAN, H. (*see* NILSSON, O.)
ALBERT, U. (*see* EKELUND, U.)
ALIÑO, S. F., GARIA, D. & UVNÄS-MOBERG, K. Alpha-receptor mediated inhibition of intraluminal release of gastric somatostatin in anaesthetized rats, 233
ALSTER, P. (*see* UVNÄS-MOBERG, K.)
ALTIOK, N., BALMFORTH, A. J. & FREDHOLM, B. B. Adrenosine receptor induced cAMP changes in D384 astrocytoma cells and the effect of bradykinin, 55
AMTORP, Ø. (*see* JACOBSEN, T. N.)
ANDERSSON, K. (*see* JANSSON, A.)
ANDERSSON, K. E. (*see* PERSSON, K.)
ANDERSSON, P. O., FAHRENKRUG, J., MALMGREN, A. & UVELIUS, B. Effects of age and streptozotocin-induced diabetes on contents and effects of substance P and vasoactive intestinal peptide in the lower urinary tract of the rat, 361
ANDERSSON, R. G. G. (*see* JOHANSSON-RYDBERG, I. G. M.)
APERIA, A. (*see* FRYCKSTEDT, J.)
APERIA, A. (*see* NISHI, A.)
ARJAMAA, O., KARLQVIST, K., KANERVO, A., VAINIONPÄÄ, V., VUOLTEENAHO, O. & LEPPÄLUOTO, J. Plasma ANP during hypertonic NaCl infusion in man, 113
ARJAMMA, O. (*see* LEPPÄLUOTO, J.)
AUKLAND, K. (*see* CLAUSEN, G.)
AUTHIER, B. (*see* LAURENT, D.)

BACCARI, M. C., CALAMI, F. & STADERINI, G. L-N^G-nitro-arginine potentiates K^+-induced contracture in the circular muscle of rabbit gastric corpus, 397
BALMFORTH, A. J. (*see* ALTIOK, N.)
BARNES, P. J. (*see* LÖTVALL, J.)
BARTFAI, T. (*see* BEDECS, K.)
BEAUDRY, M. (*see* EL ABIDA, K.)
BEDECS, K., LANGEL, Ü., BARTFAI, T. & WIESENFELD-HALLIN, Z. Galanin receptors and their second messengers in the lumbar dorsal spinal cord, 213
BELLI, A. & BOSCO, C. Influence of stretch-shortening cycle on mechanical behaviour of triceps surae during hopping, 401
BENLAMLIH, S. (*see* DAHLBORN, K.)
BERGLUND, B. (*see* KAIJSER, L.)
BERTORELLO, A. M. (*see* NISHI, A.)
BILEVICIUTE, I. (*see* UVNÄS-MOBERG, K.)
BJELKE, B. (*see* JANSSON, A.)
BJÖRKSTRAND, E., ERIKSSON, M. & UVNÄS-MOBERG, K. Plasma levels of oxytocin after food deprivation and hypoglycaemia, and effects of 1-deamino-2-D-Tyr-(OEt)-4-Thr-8-Orn-oxytocin on blood glucose in rats, 355
BJÖRNBERG, J. (*see* EKELUND U.)
BJÖRNTORP, P. (*see* HOLMÄNG, A.)
BLIX, A. S. (*see* NORDØY, E. S.)
BOLLAERT, P. E., GIMINEZ, M., ROBIN-LHERBIER, B., ESCANYE, J. M., MALLIE, J. P., ROBERT, J. & LARCAN, A. Respective effects of malnutrition and phosphate depletion on endurance swimming and muscle metabolism in rats, 1
BOSCO, C. (*see* BELLI, A.)
BRUNDIN, L., WIKLUND, N. P., GUSTAFFSON, L. E. & FLOCK, Å. Functional and morphological comparisons between cochlear outer hair cells and muscle tissues in the guinea-pig, 379
BRUZELIUS, G. (*see* UVNÄS-MOBERG, K.)
BUNDGAARD, M. (*see* OLESEN, S.-P.)

CABERO, J. L., SASAKI, T., SONG, Y.-H., HOLMDAHL, R. & MÅRDH, S. Production of monoclonal antibodies against gastric parietal cell antigens, 369
CALAMI, F. (*see* BACCARI, M. C.)
CAREY, M. F. (*see* SNOW, R. J.)
CARLSON, S. (*see* HUOPANIEMI, T.)
CARLSSON, S., SKARPHEDINSSON, J. O., DELLE, M., HOFFMAN, P. & THORÉN, P. Reflex changes in post- and preganglionic sympathetic adrenal nerve activity and postganglionic sympathetic renal nerve activity upon arterial baroreceptor activation and during severe haemorrhage in the rat, 317
CHUNG, K. F. (*see* LÖTVALL, J.)
CLAUSEN, G., ØIEN, A. H. & AUKLAND, K. Myogenic vasoconstriction in the rat kidney elicited by reducing perirenal pressure, 277
COBBOLD, P. H. (*see* JOHANSSON, P.)
COLLIANDER, E. B. & TESCH, P. A. Effects of detraining following short-term resistance training on eccentric and concentric muscle strength, 23
CONVERTINO, V. A. (*see* EIKEN, O.)
CRAGOE JR, E. J. (*see* VEEL, T.)
CRESSWELL, A. G., GRUNDSTRÖM, H. & THORSTENSON, A. Observations on intra-abdominal pressure and patterns of abdominal intramuscular activity in man, 409

DAHLBORN, K., HOSSAINI-HILALI, J., BENLAMLIH, S. & KARLBERG, B. E. Plasma atrial natriuretic peptide (ANP) concentration and fluid balance during rapid intravenous saline infusions in camels, 485
DANIELSSON, I. Alternative, spinal, somatosensory

pathways investigated with the tactile orienting reaction in the cat, 169
DELAY-GOYET, P. (*see* LOU, Y.-P.)
DELBRO, D. S. (*see* NIKLASSON, L.-G.)
DELLE, M. (*see* CARLSSON, S.)
DIEGUEZ, G. (*see* NAVA-HERNANDEZ, E.)
DOERR, D. F. (*see* EIKEN, O.)
DUDLEY, G. A. (*see* EIKEN, O.)
DUVALLET, A. (*see* EL ABIDA, K.)

EBEROTH, P. (*see* JANSSON, A.)
EGE, T. (*see* ØSTENSEN, J.)
EIKEN, O., CONVERTINO, V. A., DOERR, D. F., DUDLEY, G. A., MORARIU, G. & MEKJAVIC, I. B. Characteristics of the carotid baroreflex in man during normal and flow-restricted exercise, 325
EKELUND, U., BJÖRNBERG, J., GRÄNDE, P.-O., ALBERT, U. & MELLANDER, S. Myogenic vascular regulation in skeletal muscle *in vivo* is not dependent of endothelium-derived nitric oxide, 199
EL ABIDA, K., DUVALLET, A., THIEULART, L., RIEU, M. & BEAUDRY, M. Lactate transport during differentiation of skeletal muscle cells: evidence for a specific carrier in L6 myotubes, 469
ENGEL, B. T. (*see* TALAN, M. I.)
ERIKSSON, M. (*see* BJÖRKSTRAND, E.)
ESCANYE, J. M. (*see* BOLLAERT, P. E.)
ESPERSEN, K. (*see* WINTHER-JENSEN, E.)

FAHRENKRUG, J. (*see* ANDERSSON, P. O.)
FASTH, S. (*see* NIKLASSON, L.-G.)
FLOCK, Å. (*see* BRUNDIN, L.)
FOLKOW, B., ISAKSSON, O. G. P., KARLSTRÖM, G., LEVER, A. F. & NORDLANDER, M. Trophic effects of hypophyseal hormones on resistance vessels and the heart in normotensive and renal hypertensive rats, 291
FREDHOLM, B. B. (*see* ALTIOK, N.)
FRYCKSTEDT, J. & APERIA, A. Sodium-dependent regulation of Na^+, K^+-ATPase activity in mTAL. cAMP, guanosine-nucleotide-binding protein activity and arginine vasopressin, 185
FUJITA, T. (*see* SHIBAMOTO, T.)
FUXE, K. (*see* JANSSON, A.)

GARCIA, D. (*see* ALIÑO, S. F.)
GARCIA, J. L. (*see* NAVA-HERNANDEZ, E.)
GARCIA-VAIHALON, A. L. (*see* NAVA-HERNANDEZ, E.)
GIMINEZ, M. (*see* BOLLAERT, P. E.)
GÖDICKE, J., JACOBSEN, L., LÜLLMANN, H. & MÜLDER, G. The polycationic compound gentamicin inhibits the calcium paradox in guinea-pig hearts, 349
GOMEZ, B. (*see* NAVA-HERNANDEZ, E.)
GRÄNDE, P.-O. (*see* EKELUND U.)
GREENHAFF, P. L. (*see* SÖDERLUND, K.)
GRUNDSTRÖM, H. (*see* CRESSWELL, A. G.)
GRUNDSTRÖM, N. (*see* JOHANSSON-RYDBERG, I. G. M.)
GUSTAFFSON, L. E. (*see* BRUNDIN, L.)

HANSELL, P. & SJÖQUIST, M. Dopamine receptor blockade and synthesis inhibition during exaggerated natriuresis in spontaneously hypertensive rats, 269
HARALDSSON, B. (*see* JOHNSSON, E.)
HARDEBO, J. E. Influence of impulse pattern on noradrenaline release from sympathetic (nerves in cerebral and some peripheral vessels, 333
HARGREAVES, M. (*see* RICHTER, E. A.)
HARGREAVES, M. (*see* SNOW, R. J.)
HAYASHI, T. (*see* SHIBAMOTO, T.)
HEDE, R. (*see* ØSTENSEN, J.)
HOFFMAN, P. (*see* CARLSSON, S.)
HOGAN, M. C. (*see* PATERSON, D. J.)
HOLMDAHL, R. (*see* CABERO, J. L.)
HOLMÄNG, A. & BJÖRNTORP, P. The effects of cortisol on insulin sensitivity in muscle, 425
HOLTHE, M. R. (*see* VEEL, T.)
HOLTZ, E. (*see* ØSTENSEN, J.)
HOSSAINI-HILALI, J. (*see* DAHLBORN, K.)
HØSTMARK, A. T. & LYSTAD, E. Growth inhibition of human hepatoma cells (HepG2) by polyunsaturated fatty acids. Protection by albumin and vitamin E, 83
HULTÉN, L. (*see* NIKLASSON, L.-G.)
HULTMAN, E. (*see* SÖDERLUND, K.)
HUOPANIEMI, T., JYVÄSJÄRVI, E., CARLSON, S., LINDROOS, F. & PERTOOVARA, A. Response characteristics of tooth pulp-driven postsynaptic neurons in the spinal trigeminal subnucleus oralis of the cat, 177

IGAWA, Y. (*see* PERSSON, K.)
ISAKSSON, O. G. P. (*see* FOLKOW, B.)

JACOBSEN, L. (*see* GÖDICKE, J.)
JACOBSEN, T. N., NIELSEN, H. V., KASSIS, E. & AMTORP, Ø. Subcutaneous and skeletal muscle vascular responses in human limbs to lower body negative pressure, 247
JANSSON, A., ANDERSSON, K., BJELKE, B., EBEROTH, P. & FUXE, K. Effects of a postnatal exposure to cigarette smoke on hypothalamic catecholamine nerve terminal systems and on neuroendocrine function in the postnatal and adult male rat. Evidence for long-term modulation of anterior pituitary function, 453
JÄRVINEN, M. (*see* KANNUS, P.)
JOHANSSON, P., COBBOLD, P. H. & JOSEFSSON, J.-O. Reversal by Concanavalin A of the inhibitory effects of extracellular Ca^{2+} on pinocytosis in *Amoeba proteus*, 89
JOHANSSON-RYDBERG, I. G. M., ANDERSSON, R. G. G. & GRUNDSTRÖM, N. The modulatory effects of prostaglandins on both excitatory and inhibitory non-adrenergic, non-cholinergic neurotransmission in guinea-pig airway, 439
JOHNSSON, E. & HARALDSSON, B. An isolated perfused

rat kidney preparation designed for assessment of glomerular permeability characteristics, 65
JOSEFSSON, J.-O. (*see* JOHANSSON, P.)
JSOSZA, L. (*see* KANNUS, P.)
JUEL CHRISTENSEN, N. (*see* WINTHER-JENSEN, E.)
JYVÄSJÄRVI, E. (*see* HUOPANIEMI, T.)

KAIJSER, L. & BERGLUND, B. Myocardial lactate extraction and release at rest and during heavy exercise in healthy men, 39
KANERVO, A. (*see* ARJAMAA, O.)
KANNUS, P., JOSZA, L., KVIST, M., LEHTO, M. & JÄRVINEN, M. The effect of immobilization on myotendinous junction: an ultrastructural, histochemical and immunohistochemical study, 387
KANSTRUP, I. L. (*see* WINTHER-JENSEN, E.)
KARLBERG, B. E. (*see* DAHLBORN, K.)
KARLQVIST, K. (*see* ARJAMAA, O.)
KARLSTRÖM, G., (*see* FOLKOW, B.)
KASSIS, E. (*see* JACOBSEN, T. N.)
KAWAI, Y. (*see* SUGIURA, T.)
KAWATE, R. (*see* TALAN, M. I.)
KIENS, B. (*see* RICHTER, E. A.)
KIM, Y. I. (*see* PANCRAZIO, J. J.)
KJAER, M. (*see* RICHTER, E. A.)
KOYAMA, S. (*see* SHIBAMOTO, T.)
KVIST, M. (*see* KANNUS, P.)

LAGERCRANTZ, H., PEQUIGNOT, J.-M. & PEYRIN, L. The first breaths of air stimulate noradrenaline turn-over in the brain of the newborn rat, 433
LANGEL, Ü. (*see* BEDECS, K.)
LARCAN, A. (*see* BOLLAERT, P. E.)
LARSSON, L. Is the motor unit uniform?, 143
LAURENT, D., AUTHIER, B., LEBAS, J. F. & ROSSI, A. Effect of prior exercise in Pi/PC ratio and intracellular pH during a standardized exercise. A study on human muscle using [^{31}P]NMR, 31
LEBAS, J. F. (*see* LAURENT, D.)
LEE WILKE, W. & PERSSON, A. E. G. Captopril and time dependent changes in post- to pre-glomerular resistance ratios in remnant kidneys of prehypertensive rats, 253
LEHTO, M. (*see* KANNUS, P.)
LEPPÄLUOTO, J. (*see* ARJAMAA, O.)
LEPPÄLUOTO, J., VUOLTEENAHO, O., ARJAMMA, O. & RUSKAHO, H. Plasma immunoreactive atrial natriuretic peptide and vasopressin after ethanol intake in man, 121
LEVER, A. F. (*see* FOLKOW, B.)
LINDROOS, F. (*see* HUOPANIEMI, T.)
LÖFDAHL, C.-G. (*see* LÖTVALL, J.)
LÖTVALL, J., RABE, K., TOKUYAMA, K., LÖFDAHL, C.-G., BARNES, P. J. & CHUNG, K. F. Neutrophil influx into guinea-pig airway lumen during cholinergic and non-cholinergic bronchoconstriction, 101
LOU, Y.-P., DELAY-GOYET, P. & LUNDBERG, J. M. Selective inhibition by dactinomycin of NANC sensory bronchoconstriction and [^{125}I]NKA binding due to NK-2 receptor antagonism, 221
LÜLLMANN, H. (*see* GÖDICKE, J.)
LUNDBERG, J. M. (*see* LOU, Y.-P.)
LUNDEBERG, T. (*see* UVNÄS-MOBERG, K.)
LYSTAD, E. (*see* HØSTMARK, A. T.)

MCKENNA, M. J. (*see* SNOW, R. J.)
MALLIE, J. P. (*see* BOLLAERT, P. E.)
MALMGREN, A. (*see* ANDERSSON, P. O.)
MÅRDH, S. (*see* CABERO, J. L.)
MATOBA, H. (*see* SUGIURA, T.)
MATSUDA, Y. (*see* SHIBAMOTO, T.)
MATTIASSON, A. (*see* PERSSON, K.)
MEDBØ, J. I. (*see* VØLLESTAD, N. K.)
MEKJAVIC, I. B. (*see* EIKEN, O.)
MELLANDER, S. (*see* EKELUND, U.)
MIYATA, H. (*see* SUGIURA, T.)
MONGE, L. (*see* NAVA-HERNANDEZ, E.)
MORARIU, G. (*see* EIKEN, O.)
MÜLDER, G. (*see* GÖDICKE, J.)
MURAKAMI, N. (*see* SUGIURA, T.)
MYRENG, Y. (*see* ØSTENSEN, J.)

NÄSSTROM, J. B., SCHNEIDER, S. P. & PERL, E. R., *N*-methyl-D-aspartate (NMDA) depolarizes glutamate-insensitive neurones in the superficial dorsal horn, 483
NAVA-HERNANDEZ, E., VALLE, J., GARCIA-VAIIALON, A. L., GARCIA, J. L., MONGE, L., GOMEZ, B. & DIEGUEZ, G. The canine internal carotid system: regional differences in reactivity to nerve stimulation, noradrenaline and 5-hydroxytryptamine, 445
NIELSEN, H. V. (*see* JACOBSEN, T. N.)
NIKLASSON, L.-G., FASTH, S., HULTÉN, L. & DELBRO, D. S. Inhibition of nitric oxide synthetase causes excitation of the circular muscle in rat distal colon, 489
NILSSON, O., WÄNGBERG, B., WIGANDER, A. & AHLMAN, H. Immunocytochemical evidence for the presence of IGF-I and IGF-I receptors in human endocrine tumours, 211
NISHI, A., BERTORELLO, A. M. & APERIA, A. High salt diet down-regulates proximal tubule Na^+,K^+-ATPase activity in Dahl salt-resistant but not in Dahl salt-sensitive rats: evidence of defective dopamine, regulation, 263
NORDLANDER, M. (*see* FOLKOW, B.)
NORDØY, E. S., STIJHOORN, D. E., RÅHEIM, A. & BLIX, A. S. Water flux and early signs of entrance into phase III of fasting in grey seal pups, 477
NORRSELL, U. & OLAUSSON, H. Human, tactile, directional sensibility and its peripheral origins, 155
NURMINEN, M.-L. Intracerebroventricular immunization with TRH-antiserum lowers blood pressure in spontaneously hypertensive rats, 75

OIE, H. K. (*see* PANCRAZIO, J. J.)

Øien, A. H. (*see* Clausen, G.)
Olausson, H. (*see* Norrsell, U.)
Olesen, S.-P. & Bundgaard, M. Chloride-selective channels of large conductance in bovine aortic endothelial channels, 191
Østensen, J, Hede, R., Myreng, Y., Ege, T. & Holtz, E. Intravenous injection of Albumex^{R} microspheres causes thromboxane mediated pulmonary hypertension in pigs, but not in monkeys or rabbits, 307

Pancrazio, J. J., Oie, H. K. & Kim, Y. I. Voltage-sensitive calcium channels in a human small-cell lung cancer cell line, 463
Paterson, D. J., Vejlstrup, N., Willford, D. & Hogan, M. C. Effect of a sulphonylurea on dog skeletal muscle performance during fatiguing work, 399
Pequignot, J.-M. (*see* Lagercrantz, H.)
Perl, E. R. (*see* Näsström, J. B.)
Persson, A. E. G. (*see* Lee Wilke, W.)
Persson, K., Igawa, Y., Mattiasson, A. & Andersson, K. E. Inhibition of the arginine/nitric oxide pathway causes bladder hyperactivity, 107
Pertoovara, A. (*see* Huopaniemi, T.)
Peyrin, L. (*see* Lagercrantz, H.)

Rabe, K. (*see* Lötvall, J.)
Ræder, M. G. (*see* Veel, T.)
Råheim, A. (*see* Nordøy, E. S.)
Richter, E. A., Kiens, B., Hargreaves, M. & Kjaer, M. Effect of arm-cranking on leg blood flow and noradrenaline spillover during leg exercise in man, 9
Rieu, M. (*see* El Abida, K.)
Robert, J. (*see* Bollaert, P. E.)
Robin-Lherbier, B. (*see* Bollaert, P. E.)
Rossi, A. (*see* Laurent, D.)
Ruskaho, H. (*see* Leppäluoto, J.)

Saeki, Y. (*see* Shibamoto, T.)
Sasaki, T. (*see* Cabero, J. L.)
Sawano, F. (*see* Shibamoto, T.)
Schneider, S. P. (*see* Näsström, J. B.)
Shibamoto, T., Uematsu, H., Matsuda, Y., Fujita, T., Sawano, F., Koyama, S., Saeki, Y. & Hayashi, T. Acute effect of hypobaria and hypoxia on renal nerve activity in anaesthetized rabbits, 47
Sjöquist, M. (*see* Hansell, P.)
Skarphedinsson, J. O. (*see* Carlsson, S.)
Snow, R. J., McKenna, M. J., Carey, M. F. & Hargreaves, M. Sprint, training attenuates plasma ammonia accumulation following maximal exercise, 395)
Söderlund, K., Greenhaff, P. L. & Hultman, E. Energy metabolism in type I and type II human muscle fibres during short term electrical stimulation at different frequencies, 15
Song, Y.-H. (*see* Cabero, J. L.)
Staderini, G. (*see* Baccari, M. C.)
Stijhoorn, D. E. (*see* Nordøy, E. S.)
Sugiura, T., Matoba, H., Miyata, H., Kawai, Y. & Murakami, N. Myosin heavy chain isoform transition in ageing fast and slow muscles of the rat, 419

Tabata, I. (*see* Vøllestad, N. K.)
Talan, M. I., Engel, B. T. & Kawate, R. Overnight increases in haematocrit: additional evidence for a nocturnal fall in plasma volume, 473
Tesch, P. A. (*see* Colliander, E. B.)
Thieulart, L. (*see* El Abida, K.)
Thorén, P. (*see* Carlsson, S.)
Thorstenson, A. (*see* Cresswell, A. G.)
Tokuyama, K. (*see* Lötvall, J.)
Törnquist, K. Calcium fluxes in rat thyroid FRTL-5 cells. Evidence for a functional Na^{2+}/Ca^{2+} exchange mechanism, 341

Uematsu, H. (*see* Shibamoto, T.)
Uvelius, B. (*see* Andersson, P. O.)
Uvnäs-Moberg, K. (*see* Aliño, S. F.)
Uvnäs-Moberg, K. (*see* Björkstrand, E.)
Uvnäs-Moberg, K., Bruzelius, G., Alster, P. & Lundeberg, T. Oxytocin increases and a specific oxytocin antagonist decreases pain threshold in male rats, 487

Vainionpää, V. (*see* Arjamaa, O.)
Valle, J. (*see* Nava-Hernandez, E.)
Veel, T., Villanger, O., Holthe, M. R., Cragoe Jr, E. J. & Ræder, M. G. Na^{+}–H^{+} exchange is not important for pancreatic HCO_3^- secretion in the pig, 239
Vejlstrup, N. (*see* Paterson, D. J.)
Villanger, O. (*see* Veel, T.)
Vøllestad, N. K., Tabata, I. & Medbø, J. I. Glycogen breakdown in different human muscle fibre types during exhaustive exercise of short duration, 135
Vuolteenaho, O. (*see* Arjamaa, O.)
Vuolteenaho, O. (*see* Leppäluoto, J.)

Wängberg, B. (*see* Nilsson, O.)
Wiesenfeld-Hallin, Z. (*see* Bedecs, K.)
Wiesenfeld-Hallin, Z. (*see* Xu, X.-J.)
Wigander, A. (*see* Nilsson, O.)
Wiklund, N. P. (*see* Brundin, L.)
Willford, D. (*see* Paterson, D. J.)
Winther-Jensen, E., Espersen, K., Kanstrup, I. L. & Juel Christensen, N. Age related changes of exercise-induced plasma catecholamines and neuro-

peptide Y responses in normal human subjects, 129

Xu, X.-J. & Wiesenfeld-Hallin, Z. Intrathecal neurokinin A facilitates the spinal nociceptive flexor reflex evoked by thermal and mechanical stimuli and synergistically interacts with substance P, 163

Zabel, M. Somatostatin decreases calcitonin secretion by cultured cells of human medullary carcinoma, 209

Acta Physiol Scand 1992, **144**, 497–500

Subject index

Accommodated resistance, 23
Adenosine receptors, 55
Adrenergic response, 445
Ageing, 129, 419
Airflow obstruction, 101
Airway, 439
Albumin, 65, 83
Albunex^{R}, 307
Alcohol, 121
Aldosterone, 121
Alpha-adrenergic agonists and antagonists, 233
Amiloride, 239
Ammonia, 395
Amoeba proteus, 89
Anaerobic energy release, 135
Anaerobic exercise, 135
Anaesthetized rabbit, 47
Anion channel, 191
ANP, 121
Arousal, 433
Arterial baroreflex pressure response relation, 325
Arterial blood pressure, 9
Arterioles, 199
ATP, 15
Atrial natriuretic peptide, 113, 485
Atrial pacing, 39
Autoregulation, 199
AVP, 121, 185
Axotomy, 213

Baroreceptors, 317
BCECF, 239
Benserazide, 269
Bilateral muscle actions, 23
Bladder hyperactivity, 107
Bladder outlet, 107
Blood flow, 9, 247
Blood flow autoregulation, 277
Blood pressure, 121
Blood volume, 473
Body temperature, 75
Bradykinin, 55
Breathing manoeuvres, 409
Bronchoconstriction, 221

Ca^{2+} channels, 463
Ca^{2+}-fluxes, 341
Calcitonin, 209
Calcitonin gene-related peptide, 221
Calcium influx, 89
Calcium paradox, 349
Camel, 485

cAMP, 185
Capillary permeability, 65
Capillary pressure, 199
Capsaicin, 221
Captopril, 253
Cat, 169
Carbonic anhydrase, 369
Cardiovascular maturation, 291
Cardiovascular function, 473
Cardiovascular structural adaptation, 291
Carotid artery, 445
Catecholamines, 129
Cation-induced pinocytosis, 89
Cavernous carotid artery, 445
Cell growth, 83
Cell motility, 379
Cerebral arteries, 333, 445
cGMP, 213
Cholinergic, 101
Cigarette smoke, 453
Concanavalin A, 89
Coronary sinus blood flow, 39
Corticosterone, 453
Cortisol, 425
Crosslinking, 89
Cutaneous afferent, 163
Cytosolic calcium, 89
C-fibres, 101

DA, 453
Dacinomycin, 221
Dahl, rats, 263
Dehydration, 477
Deuterated water, 477
Diabetes, 361
Directional sensibility, 155
Diurnal patterns, 473
Dog, 445
Dopamine, 263, 269
Drug safety, 307
Dynamic exercise, 129

Echocardiography, 307
Elastic energy, 401
Electric tooth stimulation, 177
Electrical field stimulation, 333
Electrical stimulation, 15
Electrolyte transport, 185
Electromyography, 409
Electron microscopy, 191
Endocytosis, 89
Endothelial cell, 191

Endothelium-derived relaxing factor, 199
Energy metabolism, 31
Enteric nervous system, 489
Exercise, 399
Exercise hyperaemia, 199

Fast-twitch muscle, 419
Fatigue 399
Flexor reflex, 163
Fluid balance, 485
Foetus, 433
Food deprivation, 355
Free water clearance, 121
FRTL-5 (rat), 341
Functional organization, 177

Galanin, 213
Gastric muscle contraction, 397
Gastrin, 233
Gentamicin, 349
Glial cell, 55
Glomerular capillary pressure, 253
Glomerular filtration rate, 277
Glomerulus, 65
Glucagon, 355
Glucose, 355
Glutamate, 483
Glycogen, 15, 425
Glycolysis, 135
Growth hormone, 291
GTP, 213
Guinea-pig, 439
Guinea-pig Langendorff hearts, 349
Guinea-pig lung, 221
G-protein, 185

H_iK-ATPase, 369
Haemorrhage, 317
Hair cell, 379
Hairy skin, 155
Halichoreus grypus, 477
Haloperidol, 269
Hamster, 483
HCO_3^-, 239
Heart rate, 9
5-(*N*,*N*-hexamethylene)-amiloride, 239
High salt diet, 263
Histochemistry, 387
HN-11500, 307
Human hepatoma cells, 83
Human muscle, 15
Human skeletal muscle, 135
Hybridomas, 369
3-Methoxy-4-hydroxyphenylethylene glycol, 433
Hyperosmolality, 113
Hypertension, 75, 253, 269, 291
Hypobaria, 47
Hypophosphataemia, 1
Hypothalamus, 453
Hypoxia, 47

Immobilization, 387
Immunohistochemistry, 387
Immunoreactive, 121
Indomethacin, 307, 439
Inflammation, 101
Inhibition of Na/Ca exchange, 349
Insulin, 355, 425
Intracellular Ca^{2+}, 341
Intracellular Na^+, 185
Intracellular pH, 1
Intracellular recordings, 483
Intragastric pH, 233
Intraluminal secretion, 233
Ischaemic exercise, 325
Isolated kidney perfusion, 65
Isolated renal tubes, 185

Kidney, 269
Kidney blood flow, 277
Kidney medulla, 185

^{14}C Lactate, 39
Lactate, 395
Lactate transport, 469
Lambert–Eaton syndrome, 463
Large conductance voltage-dependent chloride channel, 191
Large intestine, 489
Leg vascular conductance, 9
LH, 453
Limb, 247
Local nervous reflex, 277
Localized exercise, 31
Locus coeruleus, 433
Lower body negative pressure, 247
L-N^9-nitro arginine, 397

Malnutrition, 1
Man, 155
Membrane potential, 89
Membrane resistance, 89
Metabolic rate, 477
Microcirculation, 199
Mitochondrial activity, 31
Mononuclear phagocyte system, 307
Motor unit fibre size, 143
mTAL, 185
Muscle, 9, 399, 425
Muscle bioenergetics, 1
Muscle efficiency, 401
Muscle stimulation, 1
Myocardial lactate metabolism, 39
Myogenesis, 469
Myosin heavy chain isoforms, 419
Myotendinous junction, 387

Myotubes, 469

NA, 453
Natriuresis, 269
Na^+/Ca^{2+} exchange, 341
Na^+-H^+ exchange, 239
Na^+ K^+-ATPase, 185, 263
Nerve response, 439)
Nerves, 101
Newborn, 433
Nitric oxide, 489
N^g-monomethyl-L-arginine (L-NMMA), 199
N^G-nitro-L-arginine methyl ester (L-NAME), 199
Nicotine, 454
Nifedipine, 349
Nitric oxide, 107
NK-2 antagonist, 221
[^{125}I]NKA binding, 221
NMR spectroscopy, 31
Nociceptor, 163
Noradrenaline, 333, 433
NPY, 129
Neurokinin A, 163

Orienting reaction, 169
Osmolality, 121
Oxidative metabolism, 1
Oxytocin, 355, 487
Oxytocin antagonist, 355, 487

Pain relief, 487
Pancreatic duct, 239
Parafollicular cells, 209
Particles, 307
Patch-clamp technique, 191
Patch-clamp, 463
Peroxides, 83
Pertussis toxin, 55
pH, 239, 395
Phorbol ester, 55
Phosphate depletion, 1
Phosphocreatine, 15
Physical exercise, 39
Pig, 239
Polylysine, 379
Polyunsaturated fatty acids, 83
Postganglionic sympathetic nerve activity, 317
Postnatal, 453
Potassium, 399
Preganglionic adrenal sympathetic nerve activity, 317
Prolactin, 453
Prostaglandin E, 439
Proximal tubule, 263
Pulmonary intravascular macrophage, 307

Restricted lesions, 169
Rat, 65, 107, 269, 317, 361, 419, 489
Reactive hyperaemia, 199
Remnant kidneys, 253
Renal nerve activity, 47
Renal sympathetic nerve activity, 317
Renin activity, 121
Resistance ratios, 253
Right atrial pressure, 113

SCH23390, 269
Second messenger, 213
Secretin, 239
Serotonin, 445
Serum sodium, 121
Single fibres, 15
Single motor units, 143
Slow-twitch muscle, 419
Small-cell lung cancer, 463
Smooth muscle, 379, 489
Somatosensory system, 155
Somatostatin, 209, 233
Species specificity, 307
Spinal cord, 163, 213, 483
Spinal pathways, 169
Sprint exercise, 395
Sprint training, 395
Starvation, 477
Strength retention, 23
Streptozotocin, 361
Stretch shortening cycle, 401
Substance P, 163, 361
Succinate dehydrogenase activity, 143
Sulphonylurea, 399
Superficial dorsal horn, 483
Sympathetic nerves, 333
Synthase, 425

Tactile sensitivity, 169
Tail-flick test, 487
Thyroid, 341
Thyroid medullary carcinoma, 209
Thyroxine, 75, 291
Tibialis anterior muscle, 143
Torque–velocity relationship, 23
Transmission electron microscopy, 387
Transversus abdominis, 409
TRH-antiserum, 75
Triceps surae, 401
Trigeminal sensory nuclei, 177
Tri-idothyronine, 75
Trophic cardiovascular changes, 291
Trunk muscles, 409
TSH, 453
TT cells, 209
Tubuloglomerular feedback, 277

Ultrasound, 409
Ultrasound contrast agent, 307
Urethra, 361
Urinary bladder, 361

Uteral stasis, 277

Vagus, 101
Vascular wall tension, 277
Vasoactive intestinal polypeptide, 361
Veins, 199
Very low density lipoproteins, 83
Vitamin E, 83

Warming-up, 31
Water balance, 477
Weibel–Palade body, 191
Wire electrodes, 409

Xanthines, 55